



CVT FLUID - FE

PRODUCT DESCRIPTION

CVT Fluid- FE is a premium quality synthetic transmission fluid specially designed for passenger car with belt driven continuously variable transmission. It has been specially engineered to have the unique fractional properties required for use in this type of transmission.

APPLICATIONS

It is suitable for automatic transmissions in passenger cars and light duty trucks and power steering unites. It is also suitable for hydraulic systems in farm equipment and other installations having similar fluid requirements. Excellent low temperature properties for easier shifting in cold weather.

KEY FEATURES

- Excellent oxidation resistance and thermal stability for long fluid life.
- Meets performance requirements for nearly all vehicles with belt type continuously variables transmission.
- Protects against sludge and varnish formation.
- Protects against wear, rust and corrosion.
- Good seal compatibility and foam resistance.

TYPICAL RESULTS

CHARACTERISTICS	METHOD	TYPICAL RESULTS
Appearance	ASTM D 4176	B & C
Color	ASTM D 1500	Red
Density at 30°C gm/ml	ASTM D 4052	0.848
Kinema c Viscosity @ 40°C	ASTM D 445	33.98
Kinema c Viscosity @ 100°C	ASTM D 445	7.11
Viscosity Index	ASTM D 2270	179
Flash Point °C	ASTM D 92	212
Pour Point °C	ASTM D 97	-40